| × | | |
|--|-----------------------|------------------------|
| Question Paper with Final (Revised) Answer Key for the Post of | Drug Inspector (H&FW) | held on 11-11- 2020 |
| remcode : DG1001 21: The earliest evidence that a drug is stored in tissue is | | |
| A An increase in plasma protein binding. | | |

 ${f B}$ A large apparent volume of distribution (${f V}_{{f D}}$).

c A decrease in the rate of formation of metabolites by the liver.

D An increase in the number of side effects produced by the drug.

Correct Ans: B

Itemcode: DG1002

Q2: The renal clearance of inulin is used as a measurement of

A Rate of renal drug excretion.

B Intrinsic enzyme activity.

c Active renal secretion.

D Glomerular Filtration Rate (GFR).

Correct Ans: D

Itemcode: DG1003

Q3: All of the following classes of drugs are used to treat hypertension except

A Aryloxypropanolamines.

B thiazides.

c fibrates.

D dihydropyridines.

Correct Ans: C

Itemcode: DG1004

Q4: Which of the following drugs is considered to be the agent of choice for anaphylactic reactions?

A Clonidine

B Isoproterenol

c Epinephrine

Phenylephrine

Correct Ans: C

Itemcode: DG1005

Q5: Opioids are used as all of the following agents except

A Antitussives.

B Analgesics.

c Anti-inflammatories.

Antidiarrheals.

Correct Ans: C

Itemcode: DG1006

Q6: Which agent is most likely being used to treat his schizophrenic psychosis?

| A | clozapine |
|----|--------------|
| В | fluoxetine |
| С | buspirone |
| D | risperidone |
| Со | rrect Ans: A |

Q7: The termination of heparin activity by protamine sulfate is the result of

- A A chelating action.
- **B** The inhibition of gastrointestinal absorption of heparin.
- c The displacement of heparin-plasma protein binding.
- **D** An acid-base neutralization.

Correct Ans: D

Itemcode: DG1008

Q8: Cardiac glycosides may be useful in treating all of the following conditions except

- A Atrial flutter.
- B Paroxysmal atrial tachycardia.
- c Congestive heart failure.
- **D** Ventricular tachycardia.

Correct Ans: D

Itemcode : DG1009

Q9: Which of the following classes of compounds stimulate the release of insulin from pancreatic \(\beta \) cells?

- A Biguanides
- **B** α-Glucosidase inhibitors
- c Sulfonylureas
- None of the above

Correct Ans: C

Itemcode: DG1010

Q10: The selective cyclooxygenase (COX) 2 inhibitors have been associated with which of the following adverse drug reactions?

- A Severe ischemic colitis
- **B** torsade des pointes
- C Cardiovascular thrombotic events
- Acute liver failure

Correct Ans: C

Itemcode : DG1011

Q11: The schedule related to GMP for pharmaceutical products in Drugs and Cosmetics Act is

- Schedule L1
- Schedule Y
- Schedule M

Schedule P Correct Ans: C

<u>Itemcode</u>: **DG1012**

Q12: p-nitro benzoic acid is used as the starting material for the synthesis of

- A Procaine
- **B** Barbitone
- **c** Imipramine
- D Amitryptiline

Correct Ans: A

Itemcode: DG1013

Q13: The commonly accepted organic additives to local anesthetics to improve the duration of activity are:

- A Skin penetration enhancers
- B Vasoconstrictors
- Vasodialtors
- Antihistamines

Correct Ans: B

Itemcode: DG1014

Q14: The following is a selective PDE3 inhibitor

- A Cilostozol
- Zafirlukast
- c Rolipram
- D Sildenafil

Correct Ans: A

Itemcode: DG1015

Q15: Guidelines for permission to import or manufacture of drugs for sale or to undertake clinical trials are laid down in the following schedule of Drugs and Cosmetics Act

- A Schedule L1
- **B** Schedule P
- c Schedule Y
- Schedule H

Correct Ans: C

Itemcode: DG1016

Q16: In a patient weighing 70 kg, acetaminophen has a Vd of 70 L and C_1 of 350 mL/min. The elimination half life of drug is approximately

- 35 min
- 70 min
- 140 min
- 280 min

Correct Ans: C

Itemcode: DG1017

| Qı | Q17: Urination in the human subject is decreased by | |
|----|---|--|
| Α | Acetyl choline | |
| В | Benztropine | |
| С | Nicotine | |
| D | Phytostigmine | |

Correct Ans: B

Q18: Which of the following drugs is most likely to cause severe symptoms of depression when used in treating hypertensive patients?

- A Reserpine
- **B** Prazocin
- c Nifedipine
- **D** Captopril

Correct Ans: A

Itemcode: DG1019

Q19: The prohibition of misbranded advertisement related to drugs falls under the following act

- A Opium Act 1878
- B Drugs and Magic Remedies Act 1954
- c Dangerous Drugs Act 1930
- D Essential Commodities Act, 1955

Correct Ans: B

Itemcode: DG1020

Q20: Lorazepam can be used as pre anesthetic medication in patients undergoing liver transplantation because the drug is

- A Excreted in unchanged form
- **B** Actively secreted into GI tract
- c conjugated/metabolized extrahepatically
- None of the above

Correct Ans: C

Itemcode: DG1021

Q21: High level of resistance of *M.tuberculosis* to Isoniazid (INH) involves

- A Decreased intracellular accumulation of drug
- **B** Reduced expression of gene that encodes catalase
- **c** Inactivation of drug
- Increased synthesis of mycolic acids

Correct Ans: B

Itemcode : DG1022

Q22: Phenobarbitone belongs to the class of

- A Schedule X
- Schedule R
- Schedule O

Schedule Y Correct Ans: A

Itemcode: DG1023

Q23: Which of the following drugs used in Rheumatoid Arthritis has a mechanism of decreasing Tumor Necrosis Factor?

- **A** Etanercept
- **B** Sulfasalazine
- c Rofecoxib
- **D** Pencillamine

Correct Ans: A

Itemcode: DG1024

Q24: The following schedule deals with the life period of drugs:

- A Schedule L1
- **B** Schedule R
- c Schedule P
- Schedule Y

Correct Ans: C

Itemcode: DG1025

Q25: The most likely drug to be effective in diseases caused by cestodes and trematodes is

- A Chloroquine
- **B** Mebendazole
- c Metronidazole
- Praziquantel

Correct Ans: D

Itemcode: DG1026

Q26: The following acts as antiflatulent in the preparation of antacids

- A Selenium sulphide
- **B** Simethicone
- c sugar
- D Methyl paraben

Correct Ans: B

Itemcode: DG1027

Q27: The following schedule refers to diseases or ailments for which a drug may not purport to prevent or cure:

- Schedule G
- Schedule R
- C Schedule J
- Schedule X

Correct Ans: C

Itemcode: DG1028

Q28: Precaution advisable when using lovastatin include

- Serum transaminase measurements
- Renal function tests
- c Acoustic measurements
- **D** Complete blood picture every month

Correct Ans: A

Itemcode: DG1029

Q29: Government opium factory is situated at

- A Delhi
- **B** Bombay
- c Kasaouli
- Neemuch

Correct Ans: D

Itemcode: DG1030

Q30: The Ayurvedic and Unani poisons are listed in the following schedule

- A Schedule E1
- B Schedule F&F1
- c Schedule G
- Schedule Y

Correct Ans: A

Itemcode: DG1031

Q31: The oral liquid preparation specified in schedule X can be marketed in packing not exceeding:

- **B** 300 ml
- **c** 25 ml
- **D** 5 ml

Correct Ans: B

Itemcode: DG1032

Q32: Carbimazole is

- A An antithyroid drug
- B An antiepileptic drug
- c A coagulant
- An antihypertensive drug

Correct Ans: A

Itemcode : DG1033

Q33: Neostigmine bromide is indicated primarily in the treatment of

- A Rheumatoid Arthritis
- **B** Myasthenia gravis
- c Convulsions
- Brain stroke

Correct Ans: B

Itemcode: DG1034

Q34: Schedule 'S' of the Drugs and Cosmetics Act, 1940 refers to:

- A Requirement of factory premises
- **B** List of poisons
- c Life period of drugs
- Standard for cosmetics

Correct Ans: D

Itemcode: DG1035

Q35: The absorption rate constant is calculated by:

- A Rate of excretion method
- B Wagner Nelson method
- c Michaelis Menten equation
- Sigma Minus plot

Correct Ans: B

Itemcode: DG1036

Q36: The loading dose (D_1) of a drug is usually based on the

- A Total body clearance (Cl_T) of the drug.
- **B** Percentage of drug bound to plasma proteins.
- c Fraction of drug excreted unchanged in the urine.
- Apparent volume of distribution (V_D) and desired drug concentration in plasma.

Correct Ans: D

Itemcode: DG1037

Q37: Finasteride is approved for use in male pattern baldness and it acts as

- A Activator of estrogen receptors
- B Inhibitor of 5-alpha reductase
- c An aromatase inhibitor
- An androgen receptor antagonist

Correct Ans: B

Itemcode: DG1038

Q38: Which of the following drugs inhibits HMGCoA reductase?

- A Probucol
- Lovastatin
- **c** Cofibrate
- D Gemfibrozil

Correct Ans: B

Itemcode: DG1039

Q39: Which of the following drugs acts as antihypertensive agent primarily by reduction of peripheral vascular resistance?

| A | Diltiazem |
|----|----------------------|
| В | Clonidine |
| С | Verapamil |
| D | Amlodipine |
| Со | prrect Ans: D |

Q40: ACE inhibitors are associated with high incidence of which of the following adverse reactions?

- A Hepatitis
- **B** Hypokalemia
- c Agranulocytosis
- **D** Proteinuria

Correct Ans: D

Itemcode: DG1041

Q41: If digoxin has a half life of 35 hrs how long will it take for a toxic plasma concentration of 8ng/ml to decline to a therapeutic concentration of 2ng/ml?

- **A** 17.5 hrs
- **B** 70 hrs
- c 105 hrs
- **D** 140 hrs

Correct Ans: B

Itemcode: DG1042

Q42: The initial distribution of a drug into tissue is determined chiefly by the

- A Rate of blood flow to the tissue
- **B** Stomach emptying time
- c Affinity of the drug to the tissue
- **D** Plasma protein binding of the drug.

Correct Ans: A

Itemcode: DG1043

Q43: For which of the following product, measuring plasma concentration is not appropriate for estimating bioequivalence?

- A Enteric coated tablet containing NSAID
- B Suspension formulation containing analgesics
- c Metered dose inhalers containing a bronchodilator
- Sustained release tablet antihypertensive drug.

Correct Ans: C

Itemcode: DG1044

Q44: Which of the following compounded sterile product should not be prepared in a horizontal laminar flow hood?

- A Total Parenteral Nutrition
- Dopamine
- Cisplatin

Nitroglycerin

Correct Ans: C

Itemcode: DG1045

Q45: Ezetimibe reduces cholesterol levels by

- A Inhibiting HMGCoA Reductase
- **B** Blocking or inhibiting intestinal absorption of cholesterol
- Removes cholesterol from blood and stores in adipose tissue
- D Inducing lipoprotein lipase

Correct Ans: B

Itemcode: DG1046

Q46: Amodiaquine, an antimalarial drug is synthesized from

- A Aniline
- **B** Anisole
- c Paracetamol
- p para nitrophenol

Correct Ans: C

Itemcode: DG1047

Q47: The clearance of a I.V bolus injection in a patient weighing 50 kg is 4.9 liters and elimination rate constant is 0.5 hrs. The volume of distribution per kg of patient is

- A 9.8 liters
- **B** 98 liters
- c 0.196 liters
- **D** 0.98 liters

Correct Ans: C

Itemcode: DG1048

Q48: Cytarabine is a natural analogue of

- A 4-dihydrocytidine
- B 4-deoxycytidine
- c 2-deoxycytidine
- D 2-dihydrocytidine

Correct Ans: C

Itemcode: DG1049

Q49: The presence of electron withdrawing group on which position of phenothiazine is essential for its activity?

- Second
- Third
- c Fifth
- Tenth

Correct Ans: A

Itemcode: DG1050

Q50: The elimination rate constant of a drug by I.V bolus is 0.25 hrs. What is the half life of the drug?

| Α | 27.22 hrs |
|----|--|
| В | 2.772 hrs |
| С | 0.2772 hrs |
| D | 2.772 min |
| Со | rrect Ans: B |
| | emcode: DG1051 51: Chloroquine is prepared by condensing 4,7-dichloroquinoline with the following in phenol solution. |
| Α | Pentamine |
| В | 4 amino-1diethylaminopentane |
| С | Diethylamine |
| D | Hexamine |
| Со | rrect Ans: B |
| | remcode : DG1052 52: Which of the following solvent is not used in IR Spectroscopy? CCI ₄ |
| В | CS ₂ |
| C | CHCl ₃ |
| D | H ₂ O |
| | rrect Ans: D |
| | emcode : DG1053 53: Drug of choice for filariasis is |
| A | Tinidazole |
| В | Piperazine |
| С | Diethylcarbamazine |
| D | Metronidazole |
| Со | rrect Ans: C |
| | emcode : DG1054 54: Which of the following solvents has least eluting power? |
| Α | Cyclohexane |
| В | Ethyl ether |
| Ċ | Carbon tetrachloride |
| D | n-propanol |
| Со | rrect Ans: A |
| | |
| | mcode: DG1055 55: The following is a potent inhibitor of CYP 450 enzymes |
| Α | Cimetidine |
| В | Carbamazapine |

Phenytoin

Phenobarbitone Correct Ans: A

Itemcode: DG1056

Q56: The standards for mechanical contraceptives are given in

- A Schedule R
- **B** Schedule S
- Schedule T
- D Schedule U

Correct Ans: A

Itemcode: DG1057

Q57: Benzidine test is used to detect

- A Glucose in urine
- **B** Blood in the urine
- Albumin in serum
- Uric acid in urine

Correct Ans: B

Itemcode: DG1058

Q58: What is the most commonly used mulling agent in IR Spectroscopy?

- A CHCL₃
- **B** Nuzol
- c Butadiene
- **D** Chlorohexane

Correct Ans: B

Itemcode: DG1059

Q59: The overdose of atropine can be treated with

- A Deferoxamine
- **B** Physostigmine
- c Pralidoxime
- D Vitamin C

Correct Ans: B

<u>Itemcode</u>: **DG1060**

Q60: The most important muscle useful for respiration is

- Deltoid Muscle
- Intercostal Muscle
- Pectoralis major
- Biceps

Correct Ans: B

Itemcode : DG1061

Q61: Diacetlyl morphine is

| Α | Codeine |
|----|---------------------|
| В | Apomorphine |
| С | Heroin |
| D | Oxymorphine |
| Со | rrect Ans: C |

Q62: The commonly used combination of preservatives for ophthalmic use is

- A Chlorobutanol and EDTA
- **B** Benzalkonium chloride and EDTA
- c Methy and propyl paraben
- m-chlorocresol and methyl paraben

Correct Ans: B

Itemcode: DG1063

Q63: The colligative properties of a solution are related to the following

- A Number of ions present in the solution
- **B** Number of solute particles
- c pH of the solution
- **D** Density of the solution

Correct Ans: B

Itemcode: DG1064

Q64: The following heterocyclic ring is present in mepacrine, an anti malarial drug

- A Pteridine
- **B** Phenothiazine
- **c** Acridine
- **D** Phthalazine

Correct Ans: C

Itemcode: DG1065

Q65: Mebendazole, an antigiradial agent, is a derivative of

- A Indoline
- **B** Benzimidazole
- c Indole acetic acid
- D Quinoline

Correct Ans: B

Itemcode : DG1066

Q66: Tranexemic acid is a

- A Coagulant
- **B** Anti coagulant
- c Anti fibrinolytic
- All of the above

Correct Ans: C

Itemcode: DG1067

Q67: Caffeine is chemically

- A 2,4,7-trimethyl xanthine
- **B** 1,3,7-trimethyl xanthine
- c 2,4,8-trimethyl xanthine
- **D** 1,3,8-trimethyl xanthine

Correct Ans: B

Itemcode: DG1068

Q68: Dragendroff's reagent used for testing alkaloids is a solution of

- A Potassium mercuric chloride
- **B** Silver Nitrate
- c Potassium bismuth iodide
- Sodium Chloride

Correct Ans: C

Itemcode: DG1069

Q69: Prazosin is pharmacologically

- A Peripheral α₁-adrenergic blocker
- An Activator of α2 receptors
- A Beta blocker
- An angiotensi II type I receptor antagonist

Correct Ans: A

Itemcode: DG1070

Q70: Which anticonvulsant drug requires therapeutic monitoring of Phenobarbital serum levels as well as its own serum level?

- **A** Phenytoin
- **B** Primidone
- Clonazepam
- **D** Ethotoin

Correct Ans: B

Itemcode: DG1071

Q71: The following is indicated as an adjunct to carbidopa/levodopa therapy:

- A Bromocriptine
- Amantadine
- c Tolcapone
- Pramipexole

Correct Ans: C

Itemcode: DG1072

Q72:

| | Which of the following disease modifying antirheumatic drugs can be administered orally? |
|----|---|
| Α | Anakinra |
| В | Abatacept |
| С | Leflunomide |
| D | Etanercept |
| Со | rrect Ans: C |
| Q7 | mcode : DG1073 '3: For manufacturing of drugs other than those specified in schedule c and c1 and X, the licence is issued in the prescribed form no |
| A | 25 A |
| В | 25 B |
| С | 25 |
| D | 25 F |
| Со | rrect Ans: C |
| | mcode : DG1074 '4: The antihypertensive drug that alters central sympathetic nervous system is |
| Α | Propranolol |
| В | Clonidine |
| С | Nitroprusside |
| D | Captopril |
| Со | rrect Ans: B |
| | mcode : DG1075 '5: Potentiometric analysis is possible to estimate drugs that have |
| A | Chromophore group |
| В | Oxidation-reduction potential |
| С | Azo group only |
| D | Basic character |
| Со | rrect Ans: B |
| | mcode : DG1076 '6: The Drug Technical Advisory Board is reconstituted in every |
| A | 5 years |
| В | 2 years |
| C | 3 years |
| D | 4 years |
| Со | rrect Ans: C |
| Q7 | mcode : DG1077 77: The HLB range for w/o emulsifying agent is |
| Α | 1-5 |
| В | 8-16 |
| C | 3-8 |

10-14

Correct Ans: C

Itemcode : DG1078

Q78: The following preservative is used in the simple syrup I.P

- A Methyl Paraben
- **B** Phenyl mercuric nitrate
- Benzalkonium Chloride
- D None of the above

Correct Ans: D

Itemcode: DG1079

Q79: Acetaminophen toxicity is characterized by

- A Profound vasoconstriction and pain.
- **B** Severe abdominal cramping and diarrhea.
- C Central nervous system stimulation and seizures.
- Profound liver damage and failure

Correct Ans: D

Itemcode: DG1080

Q80: The following insulin preparation has longest duration of action

- A Semilente
- Protamine zinc
- c Lente
- **D** Isophane

Correct Ans: B

Itemcode: DG1081

Q81: Which district of Himachal Pradesh has the highest density of population (2011 census)?

- A Bilaspur
- **B** Una
- c Hamirpur
- Solan

Correct Ans: C

Itemcode: DG1082

Q82: According to 2010-11 agriculture census which district of Himachal Pradesh has the highest number of operational holdings?

- Mandi
- Kangra
- C Shimla
- **D** Una

Correct Ans: B

Itemcode: DG1083

Q83: According to 2011 census which district of Himachal Pradesh has the highest rural literacy rate?

| A Una |
|---|
| B Kangra |
| C Hamirpur |
| D Mandi |
| Correct Ans: C |
| Itemcode: DG1084 |
| Q84: Which district of Himachal Pradesh has the highest number of Muslims (2011 census)? |
| A Chamba |
| B Bilaspur |
| c Sirmour |
| D Shimla |
| Correct Ans: C |
| Itemcode: DG1085 Q85: In which District of Himachal Pradesh is Kheerganga? |
| A Shimla |
| B Kullu |
| c Chamba |
| D Solan |
| Correct Ans: B |
| |
| <u>Itemcode</u> : DG1086 Q86: Near which town of Mandi District of Himachal Pradesh is Kalasar lake? |
| A Pandoh |
| B Chauntra |
| c Rewalsar |
| D Karsog |
| Correct Ans: C |
| |
| Itemcode: DG1087 Q87: In which district of Himachal Pradesh is Khokhan sanctuary? |
| A Mandi |
| B Kullu |
| c Chamba |
| р Ира |
| Correct Ans: B |
| Itemcode: DG1088 |
| Q88: Taleru Sports complex is situated in district of Himachal Pradesh. |
| A Bilaspur |
| B Chamba |
| C Mandi |
| D Solan |

Correct Ans: B Itemcode: DG1089 Q89: To which region of Himachal Pradesh did Satya Dev Bushahri belong? A Kumarsain Rohru c Jubbal D Chopal Correct Ans: B Itemcode: DG1090 Q90: Whose autobiography is titled Looking Back? A Narain Chand Prashar **B** Mohan Lal Aukta c Mehar Chand Mahajan D Kultar Chand Rana Correct Ans: C Itemcode: DG1091 Q91: Where is Indian Military Academy (IMA) located? A Bengaluru **B** Dehradun c Kharagvasla D Kochi Correct Ans: B Itemcode: DG1092 Q92: When was Rashtriya Madhyamic Shiksha Abhiyan launched? 2007 **B** 2008 С 2009 **D** 2010 Correct Ans: C Itemcode: DG1093 Q93: When did the new Bureau of Indian Standards Act come into force? A 2014 2015 2016 2017 Correct Ans: D Itemcode: DG1094

Q94: Adolescent girls of which age group are covered under Kishori Shakti Yojna?

9 to 16

| B 10 to 17 | |
|--|------|
| <u>c</u> 11 to 18 | |
| D 12 to 20 | |
| Correct Ans: C | |
| | |
| Itemcode: DG1095 Q95: Who headed the committee that recommended the de-regulation of sugar sector in India around 2013-14? | |
| A C. Rangarajan | |
| B Raghuram Rajan | |
| C. Rangaswami | |
| None of the above | |
| Correct Ans: A | |
| Itemcode: DG1096 Q96: Around which year was declaration of independence adopted by the U.S. Continental Congress in Philadelphia. | nia? |
| A 1776 | |
| B 1789 | |
| c 1805 | |
| D 1809 | |
| Correct Ans: A | |
| Itemcode: DG1097 Q97: What is the capital of Peru? | |
| A Lima | |
| B Warsaw | |
| c Manila | |
| D Doha | |
| Correct Ans: A | |
| Thursday Berees | |
| Itemcode: DG1098 Q98: With which game is Cristiano Ronaldo associated? | |
| A Hockey | |
| B Cricket | |
| c Tennis | |
| D Football | |
| Correct Ans: D | |
| | |
| Itemcode: DG1099 | |
| Q99: Earth Day is observed on April | |
| A 12 | |
| B 17 | |
| C 22 | |
| D 30 | |
| Correct Ans: C | |
| | |

Itemcode : DG1100

Q100: Which city of the world is known as the Windy City?

A Chicago

B London

C Washington

D Paris

Correct Ans: A