# Pharmacist Question Paper (Baba Farid University of Health Science, Faridkot

Question Paper 2018)

### Answer key- at the last page

- (1).Crystalluria is the side effect associated with APED
- [a] Quinolones
- [b] Azoles
- [c] Sulphonamides
- [d] Taxol

### Q.2). The Drugs and Cosmetic Act was passed in:

- [a] 1940
- [b] 1945
- [c] 1947
- [d] 1946

# Q.3). Which of the following is a female sex hormone?

- [a] Stilbesterol
- [b] Testosterone
- [c] Estrogen
- [d] Benzesterol

#### O.4). Chloroquine is a:

- 4-Amino Quinoline
- Acridine [6]
- Biguanide [c]
- [d] Pyrimidine

### Q.5). In the pediatric dose calculation, children in the first twenty days of birth comes under the class of:

- Infant [a]
- Child [6]
- Neonatal [0]
- [d] Just born

#### Q.6). A naturally occurring carminative is:

- [a] Asafoetida
- Asoka [b]
- Arjuna [c]
- [d] Agar

#### Q.7). The meaning of Latin term Rx:

- Take thou
- [6] when necessary
- send [c]
- write

### Q.8). The DPO Q.Drug Price Control Order) was exercised by central government in:

- [a] 1985
- [b] 1995
- [c] 1987
- [d] 1997

#### Q.9). Myocardium is a special muscle tissue found only in the:

- [a] Brain
- [b] Heart
- [c] Stomach
- [d] Lungs

### Q.10). The schedule to which 'List of drugs to be sold on prescription only' belong to:

- Schedule H [a]
- Schedule W [6]
- Schedule X [c]
- Schedule M [d]

### Q.11). Mannitol is:

- Loop diuretic [a]
- Osmotic diuretic [6]
- Potassium sparing diuretic [c] Carbonic anhydrase diuretic [d]

### Q.12). The formulations used for dental hygiene are known as:

- Insufflation [a]
- Snuffs [6]
- Cachets [c]
- Dentifrices [d]

## Q.13). Erythroblastosis foetalis arises due to the incompatibility in the:

- Lymph [a]
- Blood [6]
- Synovial fluid [c]
- Bile [d]

### Q.14). A parenteral anticoagulant drug is:

- Penicillin [a]
- [b] Phfenindione
- Warfarin [c]
- Heparin [d]

### Q.15). Drugs and Magic Remedies act was passed in:

- [a] 1956
- [b] 1954
- [c] 1952
- [d] 1953

### Q.16). A non-drug part added to formulation to aid dilution, stability maintaining, taste masking etc. is known as:

- [a] Presensitive
- [b] Active ingredient
- Additive [c]
- Binding agent [d]

#### Q.17). Tropaue alkaloids can be identified by:

- [a] Thalloquin test
- [6] Vitali test
- [c] Biuret test
- [d] Millon's test

### Q.18). The powerhouse of the cell is:

- [a] Golgi bodies
- [6] Mitochondria
- [c] Ribosomes
- Nucleus [d]

#### Q.19). Which of the following is not a benzodiazepine?

- Diazepam [a]
- [6] Nitrazepam
- [c] Zolpidem
- Triazolam [d]

Q.20). Which of the following is a natural emulsifying agent obtained from vegetable source?

[a] Starch

evious 1		https://thepharmapedia.com/
		to detion can be made isotonic by
[b]	Gelatin Egg yolk Wool fat	Q.31). A hypotonic solution can be made isotonic by
[c]	Egg yolk Wool fat	addition of:  [a] Sodium chloride
[4]	Wool fat	
Q.21).	A chelating agent used in the case of poisoning	
is:	Allos://ThePharmod	AND THE PARTY OF T
[a]	Sodium phosphate	[d] Magnesium chloride Q.32). The pathogenic organism in milk is killed by:
[b]	Dimercaprol	The state of the s
[c]	Ferroin	
[d]	Bismuth subnitrate	[b] Pasteurization [c] Autoclaving
Q.22	). Filter sheets made of cellulose are:	[d] Dry heat sterilization
[a]	Seitz filter	Q.33). Agents promoting easy bowel evacuation is
[b]	Membrane filter	termed as:
[c]	Glass fiber filter	[a] Protective
[d]	Sintered glass filter	[b] Antacids
Q.23	3). One fluid ounce is:	[c] Adsorbents
[a]	60 ml	[d] Laxatives
[b]	15 ml	Q.34). Morphine, codeine and thebaine is contained
[c]	30 ml	in:
[d]	10 ml	[a] Quassia
Q.24	4). The plant drug which is oxytoxic:	[b] Kurchi
[a]	Ergot	[c] Gelatin
[b]	Kurchi	[d] Opium
[c]	Vinca	Q.35). Amantadine is the drug used as:
[d]	Cocaine	[a] Antibacterial
	5). The diagnostic agent used for the functioning	[b] Antiviral
	ayroid gland:	The life and
	Fe-59 res estages) are (Clare difficil (FLA)	[d] Antiprotozoal
	I-131	Q.36). The antifungal drug, fluconazole belongs to the
[d] I	Co-60	elass of
the of	6). The constituent of cholesterol termed as bad	[a] Pyridine
	esterol is:	[h] Arolos
[a]		[c] Pyrimidines
[b]	LDL	[d] Acridines
[c]	VLDL	Q.37). The first Indian Pharmacopoeia was published
[d]	Triglycerides	in:
	7). Sterols belong to the class of:	[a] 1948
[a]	Lipids	D. N. DOLLOWSKI BERNSTON MAN AT A P.
[b]	Waxes	[b] 1960 augu 2507 au
[c]	Carbohydrates	[c] 1955
[d]	Proteins	4 1966
70	8). Hepatitis is a:	Q.38). Ranitidine is a:
[a]	Bacterial infection	[a] H2 antagonist
[b]	Protozoal infection	[b] HI antagonist
[c]	Fungal infection	[c] Beta adrenergic antagonist
[d]	Viral infection	[d] Alpha adrenergic antagonist
(T.A. 100)	9). A leukotriene receptor antagonist used in	Q.39). Creams are:
100	gic cough is:	[a] Emploione
[a]	Rofecoxib	[a] Emulsions [b] Suspensions
[b]	Theophylline	
[c]	Losartsn	[d] Pastes
[d]	Montelukast	
	0). The sulphonamide used for burn Therapy is:	Q.40). Ocuserts are: [a] Ear preparations [b] Nosel preparations
[a]	Sulfadiazine	[b] Nasal preparations
[b]	Sulfadoxine	[c] Oral preparations
[c]	Sulfacetamide	[d] Eye preparations
[d]	Sulfapyridine	Q.41). Eugenol is contained in:
907 - 93		

	ear Paper GPAT Pharmacistinons	Orud 1
	Clove Capsicum	
[a]	Clove S ARMAP	
[b]	Clove Capsicum	E 0
[c]	Cardamom	0//
[d]	Coriander	
	DS://ThePho.	
Q.42).	. Tuberculosis is diagnosed by:	
[a]	Widal test	
[b]	Elisa test	
[c]	Mantoux test	
[d]	Alerts method	
	). One among the following is a communi	cable
diseas	se: setand amendments same repair. The	
[a]	Cancer	
[b]	Diabetes	
[c]	Hypertension	
[d]	Filariasis	
	). An example of sulfonyl urea is:	
[a]	Metformin	
[b]	Tolbutamide	
[c]	Rosiglitazone	
[d]	Repaglinide	
	5). Blood plasma and blood serum prepar	ations
-	lried by:	
[a]	Freeze dryer	
[b]	Vacuum dryer	
[c]	Spray dryer	
[d]	Fluidized bed dryer	
	). The medicinal agents used for the incre	ease in
	e output is known as:	
[a]	Urinary antiseptics	(B)
[b]	Diuretics	and.
[c]	Stimulants	111
[d]	Antiseptics	All I
Q.47	). Phenobarbitone is a:	1
[a]	Sedative	0
[b]	Antitussive	i di
[c]	Antipsychotic	
[d]	Anxiolytic	
Q.48	3). An analgesic containing para amino pl	henol
grou	p is:	
[a]	Paracetamol	
[a] [b]	Ibuprofen http://www.	
-	A	
[b]	Ibuprofen high semete	
[b]	Ibuprofen Aspirin Indomethacin	
[b] [c] [d] Q.49 [a]	Ibuprofen Aspirin Indomethacin	
[b] [c] [d] Q.49	Ibuprofen Aspirin Indomethacin D). Acetyl salicylic acid is:	
[b] [c] [d] Q.49 [a]	Ibuprofen Aspirin Indomethacin  ). Acetyl salicylic acid is: Sulindac Aspirin Mefenamic acid	
[b] [c] [d] Q.49 [a] [b] [c] [d]	Ibuprofen Aspirin Indomethacin  D). Acetyl salicylic acid is: Sulindac Aspirin Mefenamic acid Nalidixic acid	
[b] [c] [d] Q.49 [a] [b] [c] [d]	Ibuprofen Aspirin Indomethacin  ). Acetyl salicylic acid is: Sulindac Aspirin Mefenamic acid	
[b] [c] [d] Q.49 [a] [b] [c] [d] Q.50	Ibuprofen Aspirin Indomethacin  D). Acetyl salicylic acid is: Sulindac Aspirin Mefenamic acid Nalidixic acid	
[b] [c] [d] Q.49 [a] [b] [c] [d] Q.50	Ibuprofen Aspirin Indomethacin  1). Acetyl salicylic acid is: Sulindac Aspirin Mefenamic acid Nalidixic acid  1). Chlorpromazine is an antipsychotic dressing: Butyrophenone	rug
[b] [c] [d] Q.49 [a] [b] [c] [d] Q.50 posse	Ibuprofen Aspirin Indomethacin  1). Acetyl salicylic acid is: Sulindac Aspirin Mefenamic acid Nalidixic acid  1). Chlorpromazine is an antipsychotic dressing:	lud diff
[b] [c] [d] Q.49 [a] [b] [c] [d] Q.50 posse [a]	Ibuprofen Aspirin Indomethacin  1). Acetyl salicylic acid is: Sulindac Aspirin Mefenamic acid Nalidixic acid  1). Chlorpromazine is an antipsychotic dressing: Butyrophenone	
[b] [c] [d] Q.49 [a] [b] [c] [d] Q.50 posse [a] [b]	Ibuprofen Aspirin Indomethacin  D. Acetyl salicylic acid is: Sulindac Aspirin Mefenamic acid Nalidixic acid  D. Chlorpromazine is an antipsychotic dressing: Butyrophenone Thioxanthine	ug

[a]	Amitryptiline		
[b]	Trazodone		
[c]	Phenelezine		
[d]	Fluoxetine		
	Salbutamol is a:		
[a]	Mast cell stabilizer		
[6]	Bronchodilator		
[c]	Immunosuppressant		
[d]	Antitussive		
Q.53)	). Which among the follo	owing is an an	ti-dandruff
drug?			
[a]	Zinc sulphate	Inggraf	
[b]	Selenium sulfide	ceusite	1
[c]	Zinc carbonate	St. Of St.	10.00
[d]	Sodium fluoride		(0.40)
Q.54	). The component of tab	let machine w	hich
contr	ols the shape and size of	the tablet is:	
[a]	Hopper	No.	
[b]	Punches	indiv	
[c]	Cam track	of test heblid	
[d]	Dies	idustra T	
Q.55	5). Calamine is:		
[a]	Basic zinc oxid	de	
[b]	Basic zinc sulf	ide	
[c]	to the state of the state of the state of	oonate	
AND Y			
[d]	Basic zinc hyd	roxide	
Q.56	). Vitamin tablets are ge	nerally for m	ulated as;
[a]	Hypoder mic tablets		
[b]	Sublingual tablets		
[c]	Effervescent tablets		
[d]	Chewable tablets		
Q.57	7). Ciprofloxacin is a:		
[a]	Quinoline drug		
[b]	Quinolone drug		
[c]	Isoquinoline drug		
[d]	Quinuclidine drug		
	). The crude drug with t	he Latin nam	e Withania
	nifera is:		
[a]	Branmi		
[b]	Hyoscyamus		
[c]	Aswagandha		
[d]	ipecac	2112000000	201
	). One among the follow	ing is a volati	le oil
	nining crude drug:	account and add	
[a]	Chirata	lon.	Our Respons
[b]	Cardamom	100	Ra BIII
[c]	Linseed	I IIION	TIS OFDIA
[d]	Myrobalan	11 21 01	AARMAP
	). A crude drug used as	cardiotonic:	o to amount o com
[a]	Dhatura Cinchona	conto	/8//
[b]		21105	//The Pharmage
[c]	Ephedra	Antimit Valle	Merid
[d]	Ergot	animor, rei	
	). Belladona belongs to the	he family of:	
[a]	Solanaceae		

antidepressant drug?

	* //	Silon Ou Bonsibility				
		RA ADEDIA	[d]	Quinine		
[b]	Piperaceae	THE PHARMAPEDIA THE PHARMAPED COM	0.72)	Ascaris lumbricoid	es is a:	
[c]	Papavaraceae	THE PHARMAP	[a]	Helminth	arrest activated	
[d]	Rutaceae	A STATISTICAL OF	[b]	Protozoa		
Q.62)	. The active ingredient that	t forms froth when	[c]	Amoeba		
shaker	n with water:	Mps://Thepharma				
[a]	Alkaloid	ing in	[d]			
[b]	Tannin			Kala Azar is a type	trai mal T	
[c]	Gum		[a]	Giardiasis		
[d]	Saponin		[b]	Leishmaniasis		
0.63)	. Emetine is the main ingre	edient of:	[c]	Helminthiasis		
[a]	Ipecac		[d]	Schistosomiasis	the region bootopii	whi blood i
[b]				. The presence of pa	thogenic bacteria	III Diood
[c]			called			1 1
[d]	Rhubarb		[a]	Toxemia	100	111
0.64	). The rod shaped bacteria	are:	[b]	Septicemia		4.1
[a]	Coccus Landau la		[c]	Bacteremia	1945	9 10
[b]	Spirilla		[d]	Anemia		
[c]	Bacillus		Q.75	). Dettol is used as:		
[d]	Vibrios		[a]	Antiseptic	ndi-il	fen
[d]	). Widal test is used for the	e diagnosis of:	[b]	Disinfectant	Partie Barre	
		e diagnosis or.	[c]	Antimicrobial	shapitalafult	
[a]	Typhoid		[d]	Antibiotic	er mainty boets	
[b]	AIDS			). An antibiotic poss		
[c]	Jaundice			J. All alltimotic poss	essing the beth in	
[d]	Meningitis	in the least of th	is:	D. Marie		
	. The disease caused by Er	ntamoeba histolytica;	[a]	Penicillin		
[a]	Malaria		[b]	Erythromycin		
[b]	Trypanosomiasis		[c]	Streptomycin		
[c]	Filariasis	SCHOOL AND A STREET, IN	[d]			
[d]	Amoebiasis	a placed that	Q.77	). Which of the follo	wing is a catecho	lamine?
Q.67	). Hospital acquired infect	ious are called:	[a]	Thyroxine		
[a]	Primary infection		[b]	Melanine		
[b]	Secondary infection		[c]	Tyramine		
[c]	Nosocomial infection		[d]	Dopamine		
[d]	Latent infection			. Passive immunity i	is obtained by ini	ecting:
	. EEG is utilized to diagno	se the diseases	[a]	Antiserum	Sedabag	
	iated with the:		[b]	Antigens		
[a]	Heart	IV.	[c]	Vaccines		
[b]	Kidney	Difference of the	[d]	Antibodies		
[c]	Abdomen			). An acid contained		
[d]	Brain	espension in the h		Muramic acid	in Dacterial cell v	
	). Which of the following is	s an antidiuratio	[a]	Formic acid		
horm	one?		[b]	Stearic acid		
[a]	Oxytocin		[c]			
[b]	Follicle stimulating horm	Jungulansk Jul	[d]	Palmitic acid	Authority District	
	Vaccoprocein			). Which among the		
[c]	Vasopressin			istaminic drug?	Our s	
[d]	Luteinizing hormone	altura goldin timi	[a]	Diphenhydramine	oron, Our R	e sponsibil
	). The hormone involved in	the secretion and	[b]	Chlordiazepoxide	1/2/ 1/2	1311
			[c]	Pilocarpine		APEDIA
[a]	TSH		[d]	Amphetainine	1 SHARM	10788A
[p]	FSH		Q.81).	. A narcotic analgesi	ic: THE PHARM	ncipedia com E
[c]	Prolactin		[a]	Reserpine	Courocua	0
[d]	Thyroxine		[b]	Papaverine	Mos://Thepho	mape
Q.71)	. An antimalarial obtained	d from natural source	[c]	Quinine	mepho	
is:			[d]	Morphine		
[a]	Strychnine			. Which of the follow		asanaid?
	Brucine		[a]	Interleukin		
[b]			[a]			
[b] [c]	Reserpine		[b]	Leukotriene		

	Thromboxane Prostaglandin	[b]	Myocardial infarction
:]	Thromboxane State Thromboxane	[c]	Angina pectoris
i]	Prostaglandin  Which of the following is a NS AID drug?	[d]	Ischemia
(2.83)	Which of the following is a No All Grug con	107.5	Yeasts come under a group of:
a]	Morphine	(a)	Bacteria
5]	Heroin Codeine	[b]	Fungi
0]	Codeine	10.7	
d]	Diclofenac	[c]	Protozoa Virus
		[d]	Drugs suppressing nausea and vomiting
2.84)	. The extraction process where powdered crude		Anti-emetic
777	s kept in contact with suitable solvent for	[a]	Anti-diarrheal
uital	ole time:	[b]	Anti-ulcer
a]	Percolation	[c]	Antiseptic
b]	Decoction	[d]	
c]	Maceration		. Which of the following drugs is used as a
d]	Reserved percolation		omuscular blocking agent?
Q.85	). Which of the following is used as a binder?	[a]	Methocarbamol
a]	Talc	[b]	Succinyl choline
b]	Starch	[c]	Tizanidine
[c]	Cellulose	[d]	Baclofen
[d]	Kaolin		. Which of the following is beta adrenergi
Q.86	6). Which of the following is an analeptic drug?	block	The second secon
[a]	Caffeine	[a]	Ramipril
[b]	Nikethamide	[b]	Valsartan
[c]	Cocaine	[c]	Verapamil
[d]	Amphetamine	[d]	Propranolol
	). Which among the following is an anti-filarial	0.97	Agents used for reducing acidity in ston
Q.o/ drug			ed as:
urug [a]	DEC	[a]	Acidifier
[a] [b]	FNH	[b]	Protective
[c]	PAS	[c]	Adsorbent
[c] [d]	DDS	[d]	Antacid
	). The schedule for Good manufacturing practices	1000	). The complete separation of two phases i
	requirements of factory premises for the		sion is called:
		[a]	Creaming
	ufacture of belongs to: Schedule X	[b]	Sedimenting
[a]	Schedule W	[c]	Cracking
[b]			Leaching
[c]	Schedule L	[d]	The state of the s
[d]	Schedule M	-	). Lacirymai gianus produces.
	). A preparation containing killed or attenuated	[a]	Tear
	ses is termed as:	[b]	wax
[a]	Vaccine	[c]	Sweat
[b]	Antiserum	[d]	Sebum
[c]	Toxin		0). One among the following is an alkylati
[d]	Toxoid		ancer ding:
27	). Dapsone is used for the therapy of	[a]	Chloramphenicol
[a]	Tuberculosis	[b]	Chlorambucil
[b]	Amoebicide	[c]	Clotrimazole
[c]	Leprosy	[d]	Ciodimidzoic / 6
[d]	Helminthiasis		DEDIAZ DEDIAZ
Q.91	). Curcmninoids are present in:		11 - 1
[a]	Squill		THE PHARMAPEDIAZ
[b]	Turmeric		Confoc @inecholimon
	Honey		1200
[c]			
[c] [d]	Acacia		Mos://ThePharmod

Arrhythmia

[a]



Answer Key:

SWEI II	Cy.			the state of the s					Section of the Control of the Contro		
,	3	11	2	21	2	31	1	41	1	51	101
1	1	12	4	22	2	32	2	42	3	52	2
2	3	13	2	23	3	33	**************************************	43	4 13 4 13 13	53	2
3	1	14	4	24	1	34	4	44	2	54	4
5	3	15	2	25	2	35	2	45	1	55	1
6	1	16	3	26	2	36	2	46	2	56	4
7	1	17	2	27	1	37	3	47	1	57	2
8	2	18	2	28	4	38	1	48	1	58	3
9	2	19	3	29	4	39	1	49	2	59	2
10	1	20	1	30	1	40	4	50	3	60	1

61	1	71	4	81	4	91	2
62	4	72	171	82	22.12	92	1
63	1	73	2	83	4	93	2
64	3	74	2	84	3	94	1
65	ifd o	75	(1)	85	2	95	2
66	4	76	1	86	2	96	4
67	3	77	4	87	1	97	4
68	4	78	4	88	4	98	3
69	3	79	Y	89	1	99	1
70	3	80	(L	90	3	100	2





Download Our Android App:- https://bit.ly/3NC3tCQ

Our Website: https://thepharmapedia.com/